

SONY

BRAVIA Theatre Bar 9

Le véritable son du cinéma

Profitez d'un son cinématographique époustouflant avec le BRAVIA Theatre Bar 9. Avec le Dolby Atmos et le 360 Spatial Sound Mapping, vous serez totalement plongé au cœur de l'action. L'Acoustic Center Sync synchronise les haut-parleurs de votre TV BRAVIA compatible avec ceux de votre système BRAVIA Theatre Bar 9, pour un réalisme sans précédent.

Barre de son 360 Spatial Sound Mapping

Dolby
ATMOS

360 SPATIAL
SOUND
MAPPING

VIDÉO EXPLICATIVE

Vidéo produit



TROIS BÉNÉFICES CLEFS

1




Soyez immergé dans un son à 360 degrés

- **La technologie 360 Spatial Sound Mapping** repousse les limites du son surround en créant jusqu'à 12 enceintes fantômes disséminées dans votre pièce, délivrant une expérience sonore toujours plus immersive.
- **Entrez dans l'action avec Dolby Atmos® et DTS:X**, qui retranscrivent autour et au-dessus de vous un son en trois dimensions, pour une expérience comme au cinéma.
- **Montez en puissance en ajoutant un caisson de basse optionnel** : le SA-SW5 (300W) ou le SA-SW3 (200W), qui offrent des basses puissantes époustouflantes.

Parfait pour les TV BRAVIA

- **Grâce à l'Acoustic Center Sync**, synchronisez les haut-parleurs de votre TV BRAVIA compatible avec ceux de votre système BRAVIA Theatre Bar 9 pour plus de performance et pour un réalisme sans précédent. Les paroles viennent ainsi directement de la bouche des acteurs.
- **La technologie Voice Zoom 3** renforce quant à elle la qualité des voix et des dialogues.

2



3







Haut-parleurs offrant un son ultra premium

- **Cette barre au design unique est conçue pour délivrer un son d'une qualité et d'une précision exceptionnelles.** Ses haut-parleurs frontaux et verticaux possèdent une architecture en forme rectangulaire appelée X-balanced spécifiquement pensée pour optimiser le rendu sonore et réduire au minimum la distorsion, pour une expérience audio plus riche, plus claire et plus profonde.

SONY

Visuels non contractuels. Les informations contenues dans cette fiche sont susceptibles d'être modifiées sans préavis.

FICHE TECHNIQUE

DESIGN 	Couleur	Noir
	Dimensions (mm)	1300 x 64 x 113 (Barre)
	Poids (kg)	5.5 (Barre)
SON 	Nombre de haut-parleurs	13
	Haut-parleurs X-balanced	✓
	360 Spatial Sound Mapping	✓
	360 Spatial Sound Personaliser	✗
	Dolby Atmos®	✓
	Dolby Vision™	✓
	DTS:X™	✓
	IMAX Enhanced	✓ (Via mise à jour)
	Haut-parleurs verticaux	✓
	Haut-parleurs latéraux	✓
	Beam tweeter latéraux	✓
	Basses	✓
	Radiateurs passifs	✓
SYNCHRO BRAVIA	Acoustic Centre Sync	✓
	Voice Zoom 3	✓
	AV Auto-Sync	✓
	BRAVIA Quick Settings Menu	✓
CONNECTIQUE 	HDMI™ 2.1	✓
	4K 60 HDR Passthrough	✓
	4K 120 HDR Passthrough	✓
	VRR / ALLM (Gaming)	✓
	Bluetooth®	✓
	Bluetooth® Version	5.2
	Bluetooth® Multi-Connect	✗
	Wi-Fi®	✓
	PS5 Direct Wired Connection	✗
	Dual Pair	✗
MUSIQUE 	Hi-Res Audio	✓
	360 Reality Audio	✓
	DSEE Ultimate	✓
	Spotify Connect	✓
	Apple Airplay 2	✓
	Google Chromecast	✓
	Bluetooth® to Phone	✓

Sub-Category					HT (Home Theater System)
Trial Model Code					
Model Code					HT-A9000
Specification Code					GEL
Sales Area					EU
Status					Final
Update Date					2023-10-19

GL

*Tentative value is expressed in red character

[SPECIFICATIONS]

		We	Group Name	Sort	Header Name	
Color	Color	N				Black
Speaker layout	Speaker Structure	Y	Speaker layout	###	Speaker Structure	13 units
Speaker layout	bar speaker	Y	Speaker layout	###	bar speaker	HT-A9000
Speaker Unit(front)	woofer	N				2
	Number of speaker	N				Acoustic suspension
	Enclosure Type	N				45 x 90
	Unit size (mm)	N				1 13/16 x 3 5/8
	Unit size (inch)	N				cone
	Driver Unit	N				Yes
	X-Balanced Speaker Unit	N				2
	Tweeter	N				10
	Nr of speaker	N				13/32
	Unit size (mm)	N				soft dome
	Unit size (inch)	N				2
	Driver Unit	N				2
	Beam Tweeter	N				46 x 54
	Upfiring Speaker	N				1 13/16 x 2 1/4
	Nr of speaker	N				cone
	Unit size (mm)	N				Yes
	Unit size (inch)	N				Yes
	Driver Unit	N				2
	X-Balanced Speaker Unit	N				2
	Passive Radiator	N				Acoustic suspension
	Nr of Passive Radiator	N				45 x 90
Speaker Unit(Center)	Woofer	N				1 13/16 x 3 5/8
	Nr of speaker	N				cone
	Enclosure Type	N				Yes
	Unit size (mm)	N				1
	Unit size (inch)	N				22
	Driver Unit	N				7/8
	X-Balanced Speaker Unit	N				soft dome
Speaker Unit(Side)	Full range	N				2
	Number of speaker	N				Acoustic suspension
	Enclosure Type	N				46 x 54
	Unit size (mm)	N				1 13/16 x 2 1/4
	Unit size (inch)	N				cone
	Driver Unit	N				Yes
	X-Balanced Speaker Unit	N				Yes
Speaker Grill	Speaker Grill (Bar)	N				fixed
	Bar grill type	N				Fabric
	Front Grille Material	N				Yes
Interfaces	Button on main unit	N				Yes
	Power	N				Yes
	HDMI	Y	HDMI	220	Number of Input/Output	1 / 1 (eARC/ARC)
	Number of Input/Output	Y	HDMI	230	eARC	Yes
	eARC	N				Yes
	3D pass through	N				Yes
	4K/60p/YUV4:4:4	Y	HDMI	240	4K/60p/YUV4:4:4	Yes
	8K/60 YUV 4-2-0 10bit (Non compression)	N				Yes
	4K/120 YUV4-4-4 10bit (Non compression)	N				Yes
	HDR	Y	HDMI	250	HDR	Yes
	Dolby Vision	Y	HDMI	260	Dolby Vision™ Compatible	Yes
	HLG (hybrid log gamma)	Y	HDMI	270	HLG (hybrid log gamma)	Yes
	HDCP2.2	Y	HDMI	280	HDCP2.2	Yes
	HDCP2.3	N				Yes
	18Gbps	N				Yes
	40Gbps	N				Yes
	x.v.Color (xvYCC)	N				Yes
	HDMI control	N				Yes
	Scene Select Sync	N				Yes
	Home Theater Control	N				Yes
	BRAVIA Sync	Y	HDMI	290	BRAVIA Sync	Yes
	HDMI CEC	Y	HDMI	300	HDMI CEC	Yes
	HDMI standby through	N				Yes
	Wi-Fi	Y	Interface	170	Wi-Fi	Yes
	IEEE802.11 version	Y	Interface	180	IEEE802.11 version	a/b/g/n/ac
	Bluetooth® Specification*1	Y	Interface	190	Bluetooth	RX/-
	Bluetooth® communication(RX / TX)*1	N				Yes
	A2DP	N				Yes
	AVRCP	N				5.2
	Bluetooth® version*1	Y	Interface	200	Bluetooth version	Yes
	Bluetooth® Standby*1	N				Yes
	Speaker Terminal	N				Yes
	S-Center out	N				Yes
	Display	N				Yes
	LED indicator	N				Yes
	LED Indicator OFF Mode	N				Yes
Decode Format	High Resolution Audio	N				Yes
	360 Reality Audio	N				Yes
Decode Format	HDMI input	Y	AUDIO	310	HDMI input	Yes
	Dolby Digital	Y	AUDIO	320	HDMI input	Yes
	Dolby Digital Plus	Y	AUDIO	330	HDMI input	Yes
	Dolby TrueHD	Y	AUDIO	340	HDMI input	Yes
	Dolby Digital Plus/Atmos	Y	AUDIO	350	HDMI input	Yes
	Dolby TrueHD/Atmos	Y	AUDIO	360	HDMI input	Yes
	Dolby Dual mono	Y	AUDIO	370	HDMI input	Yes
	DTS	Y	AUDIO	380	HDMI input	Yes
	DTS HD High Resolution Audio	Y	AUDIO	390	HDMI input	Yes
	DTS HD Master Audio	Y	AUDIO	400	HDMI input	Yes
	DTS ES	Y	AUDIO	410	HDMI input	Yes
	DTS 96/24	Y	AUDIO	420	HDMI input	Yes
	DTS:X	Y	AUDIO	430	HDMI input	Yes
	IMAX ENHANCED	N				future update
	LPCM	Y	AUDIO	440	HDMI input	2ch/5.1ch/7.1ch
	LPCM fs	Y	AUDIO	450	HDMI input	192kHz/24bit
	MPEG-H 3D Audio BL profile(Level3/Level4)	N				Yes
	360 Reality Audio	N				Yes
	HDMI ARC	N				Yes
	Dolby Digital	N				Yes
	Dolby Digital Plus	N				Yes
	Dolby Digital Plus/Atmos	N				Yes

		Dolby Dual mono	N				Yes	
		DTS	N				Yes	
		DTS 96/24	N				Yes	
		LPCM 2ch	N				Yes	
		LPCM fs	N				48kHz/24bit	
	HDMI eARC	Dolby Digital	Y	AUDIO	490	HDMI eARC	Yes	
		Dolby Digital Plus	Y	AUDIO	500	HDMI eARC	Yes	
		Dolby Digital Plus / Atmos	N				Yes	
		Dolby TrueHD	Y	AUDIO	510	HDMI eARC	Yes	
		Dolby TrueHD / Atmos	N				Yes	
		Dolby Atmos	Y	AUDIO	520	HDMI eARC	Yes	
		Dolby Dual mono	Y	AUDIO	530	HDMI eARC	Yes	
		DTS	Y	AUDIO	540	HDMI eARC	Yes	
		DTS HD High Resolution Audio	Y	AUDIO	550	HDMI eARC	Yes	
		DTS HD Master Audio	Y	AUDIO	560	HDMI eARC	Yes	
		DTS ES	Y	AUDIO	570	HDMI eARC	Yes	
		DTS 96/24	Y	AUDIO	580	HDMI eARC	Yes	
		DTS:X	Y	AUDIO	590	HDMI eARC	Yes	
		IMAX ENHANCED	N				future update	
		Bluetooth® communication(Receiver)*1	LPCM	Y	AUDIO	600	HDMI eARC	192kHz/24bit
	AAC		Y	AUDIO FORMATS	870	Bluetooth(Receiver)	Yes	
	SBC		Y	AUDIO FORMATS	880	Bluetooth(Receiver)	Yes	
	LDAC		Y	AUDIO FORMATS	890	Bluetooth(Receiver)	Yes	
Amplifier	Amplifier Type	Digital Amplifier	Y	Amplifier	50	Amplifier Type	Yes	
		S-Master HX	Y	Amplifier	70	Amplifier Type	Yes	
	Number of Channel	Number of Channel	Y	Amplifier	80	Amplifier Channels	13ch	
	Output Power	Front Woofer(Reference)	N					45W+45W
		Front Tweeter(Reference)	N					45W+45W
		Beam Tweeter(Reference)	N					45W+45W
		Center Woofer(Reference)	N					45W+45W
		Center Tweeter(Reference)	N					45W
		Side Speaker(Reference)	N					45W+45W
		Enabled Speaker(Reference)	N					45W+45W
Subwoofer volume		N					Yes(w Option Woofer)	
Sound Function	Sound Adjustment	Bass level	N				Yes	
		Rear Speaker volume	N				Yes(w Option Rear)	
		AV Sync	N				Yes	
		Advanced Auto Volume(AAV)	N				Yes	
		Audio DRC	N				Yes	
		Mute	N				Yes	
		Rear level	N				Yes	
		Sound mode	Sound Field	N				Yes
		Sound effect	Night Mode	Y	Sound Function	###	Sound Effect	Yes
			Voice Mode	Y	Sound Function	###	Sound Effect	Yes
	Sound enhancement	DSEE Ultimate	N				Yes	
		Surround	Dolby Speaker Virtual	Y	Sound Function	###	Virtual Surround Technology	Yes
	Dolby Surround		N				Yes	
	DCAC Feature	Neural:X	N				Yes	
		Sound Field Optimization	N				Yes	
mic for DCAC		N				Yes(built-in)		
Function with BRAVIA	Acoustic Center Sync	N				Yes		
	Voice Zoom	N				Yes		
	Quick Setting Menu	N				Yes		
Network Service	Spotify Connect	Y	Network	###	Network Function	Yes		
	AirPlay 2	N				Yes		
Wireless Function	Wireless Surround (with optional wireless speakers)	Y	Wireless Features	###	Wireless Surround (with optional wireless speakers)	Yes		
Function for Custom Installation	Control Features	CIS IP Control	N				Yes	
		Controller Connectivity	Certification (Crestron/Control4/Savant)	N			Yes	
		Certification (IHJI)	N			Yes		
Application	Sony BRAVIA Connect	Sony BRAVIA Connect (via Wi-Fi)	N				Yes	
Shop Front Mode	Built in Demo	N					Yes	
	USB playback demo	N					Yes	
	DEMO mode(1/2/3/4)	N					Yes (Yes/Yes/--)	
Firmware Update operation	via Network	N					Yes	
Supplied Accessories	Remote Commander	Easy Setup	N				Yes(BCA)	
		model name	Y	What's in the box	###	What's in the box	RHT-AH513U	
	Cable	Batteries for remote commander	Y	What's in the box	###	What's in the box	Yes	
		TV center speaker mode cable	N				Yes	
		HDMI Cable	Y	What's in the box	###	What's in the box	Yes	
	AC Cord	Y	What's in the box	###	What's in the box	Yes		
	Instruction Manual / Reference Guide	English(US) or English(GB)	N					Yes
		French or French(CA)	N					Yes
		German	N					Yes
		Italian	N					Yes
		Dutch	N					Yes
		Spanish or Spanish(LA)	N					Yes
		Portuguese or Portuguese(LA)	N					Yes
		Polish	N					Yes
		Danish	N					Yes
		Finnish	N					Yes
		Swedish	N					Yes
		Norwegian	N					Yes
		Greek	N					Yes
		Czech	N					Yes

		Hungarian	N				Yes	
		Bulgarian	N				Yes	
		Romanian	N				Yes	
	Card	Warranty Card	Y	What's in the	###	What's in the box	Yes	
	others	Wall mounting bracket	Y	What's in the	###	What's in the box	Yes	
		Wall mounting template	Y	What's in the	###	What's in the box	Yes	
		Foot	N				Yes	
Weight and Measurements	Dimensions (Approx.)	bar speaker (WxHxD) mm	Y	Size & Weight	10	Main Unit Size - Body Only (W x H x D) (MM)	1300 x 64 x 113	
		bar speaker (WxHxD) inch	Y	Size & Weight	15	Main Unit Size - Body Only (W x H x D) (INCH)	51 1/4 x 2 5/8 x 4 1/2	
		carton type	N				Box	
	Weight (Approx.)	Carton (WxHxD) mm	N				W1404 x H137 x D250 (TBD)	
		bar speaker (kg)	Y	Size & Weight	30	Main Unit Weight - Body Only (KG)	5.5	
		bar speaker (oz)	Y	Size & Weight	35	Main Unit Weight - Body Only (OZ)	12 lb 3 oz	
Power	power cable length	Bar Speaker (mm)	N				1500	
	Power Supply	Power Requirement	N				220 V - 240 V	
		Power frequency	N					50/60Hz
	Power consumption	Power Consumption(On Operation) *approx	Y	Details	###	POWER CONSUMPTION		62W
		Power Consumption(On Standby mode) *approx	N					Less than 0.5W
		Power consumption(Bluetooth® standby mode) *approx*1	N					Less than 2.3W
		Power consumption(Network standby mode) *approx	N					Less than 2.3W
	Plug details	AC plug type	N					C
	Power Setting	Auto Standby	N					Yes
Network / Bluetooth® Standby Mode*1		N					Yes	